## Ventenata Specific References

Last updated: May 7, 2018

If you know of references that specifically reference ventenata (reports, peer-reviewed articles, literature reviews, etc.) please contact Michelle Day (<u>michelle.day@oregonstate.edu</u>; 541-758-7768)

- Anicito, K. R. 2013. A holistic approach to Mima mound prairie restoration. MS Thesis. Eastern Washington University, Cheney, WA.
- Averett, J. P. 2014. Non-native and native plant species distributions and variability along an elevational gradient in the Wallowa Mountains, Oregon. MS Thesis. Oregon State University, Corvallis, OR.
- Averett, J. P., B. McCune, C. G. Parks, B. J. Naylor, T. DelCurto, and R. Mata-Gonzalez. 2016. Non-native plant invasion along elevation and canopy closure gradients in a middle Rocky Mountain ecosystem. PLoS One 11:e0147826. https://doi.org/10.1371/journal.pone.0147826.
- Bansal, S., J. J. James, and R. L. Sheley. 2014. The effects of precipitation and soil type on three invasive annual grasses in the western United States. Journal of Arid Environments 104:38-42.
- Beck, K. G. 2014. New invasive threats and an old foe. Progressive Cattleman September. http://www.progressivecattle.com/topics/range-pasture/6417-newinvasive-threats-andan-old-foe.
- Beckstead, J., S. E. Meyer, K. O. Reinhart, K. M. Bergen, S. R. Holden, and H. F. Boekweg. 2014. Factors affecting host range in a generalist seed pathogen of semi-arid shrublands. Plant Ecology 215:427-440.
- Bernards, S. J. and L. R. Morris. 2017a. Comparisons of canyon grassland vegetation and seed banks along an early successional gradient. Northwest Science 91:27-40.
- Bernards, S. J. and L. R. Morris. 2017b. Influence of topography on long-term successional trajectories in canyon grasslands. Applied Vegetation Science 20:236-246.
- Bryant, J. A. M., B. K. Reynecke, and R. L. Brown. 2013. Geology and topography effects on exotic plant distribution in a semiarid Mima mound prairie in eastern Washington. Northwest Science 87:12-23.
- Cellini, J. B. 2016. The relationship between invasive annual grasses and biological soil crust across Eastern Washington. MS Thesis. Eastern Washington University, Cheney, WA.
- Chambers, K. L. 1985. Pitfalls in identifying Ventenata dubia (Poaceae). Madrono 32:120-121.
- DiTomaso, J. M., et al. 2013. *Ventenata dubia* (Leers) Coss. & Dur.: North African wiregrass. Pages 417-418 *in* Weed control in natural areas in the western United States. University of California, Weed Research and Information Center, Davis, CA.
- Dittel, J. W., D. Sanchez, L. M. Ellsworth, C. N. Morozumi, and R. Mata-Gonzalez. 2018. Vegetation response to juniper reduction and grazing exclusion in sagebrush-steppe habitat in eastern Oregon. Rangeland Ecology & Management 71:213-219.
- Endress, B. A., J. Averett, B. J. Naylor, L. R. Morris, and R. Taylor. In prep. Historical, biotic and environmental factors influence patterns of non-native plant abundance in a temperate grassland. Applied Vegetation Science.
- Fryer, J. L. 2017. Ventenata dubia. Fire Effects Information System, [Online]. USDA Forest Service, Rocky Mountain Research Station, Missoula Fire Sciences Laboratory. www.fs.fed.us/database/feis/plants/graminoid/vendub/all.html
- Gillespie, L. J., R. J. Soreng, R. D. Bull, S. W. L. Jacobs, and N. F. Refulio-Rodriguez. 2008. Phylogenetic relationships in subtribe Poinae (Poaceae, Poeae) based on nuclear ITS and plastid trnT–trnL–trnF sequences. Botany 86:938-967.

- Griffith, D. L. 2015. Invasive annual grasses at micro- and macro- scales: Endophytes, socialecological systems, and community-based observing networks. PhD Dissertation. University of Idaho, Moscow, ID.
- Ingwell, L. and N. Bosque-Pérez. 2015. The invasive weed *Ventenata dubia* is a host of Barley yellow dwarf virus with implications for an endangered grassland habitat. Weed Research 55:62-70.
- James, J. 2008a. Leaf nitrogen productivity as a mechanism driving the success of invasive annual grasses under low and high nitrogen supply. Journal of Arid Environments 72:1775-1784.
- James, J. J. 2008b. Effect of soil nitrogen stress on the relative growth rate of annual and perennial grasses in the Intermountain West. Plant and Soil 310:201-210.
- Johnson, C. G., Jr. 2007. Rangeland exclosures of northeastern Oregon: Stories they tell (1936-2004). Gen. Tech. Rep. PNW-GTR-724, USDA Forest Service, Pacific Northwest Research Station, Portland, OR.
- Johnson, C. G., Jr. and D. K. Swanson. 2005. Bunchgrass plant communities of the Blue and Ochoco Mountains: A guide for managers. Gen. Tech. Rep. PNW-GTR-641, USDA Forest Service, Pacific Northwest Research Station, Portland, OR.
- Johnson, C. G., M. Vavra, C. G. Parks, and M. Willis. 2013. Ascertaining elk impacts on plant communities. Rangelands 35:11-15.
- Jones, L. C., N. Norton, and T. S. Prather. 2018. Indicators of ventenata (*Ventenata dubia*) invasion in sagebrush steppe rangelands. Invasive Plant Science and Management 11:1-9.
- Kerns, B. K., H. S. J. Zald, M. A. Krawchuk, N. M. Vaillant, J. Kim, and B. J. Naylor. 2015. Ecosystem change in the Blue Mountains Ecoregion: Exotic invaders, shifts in fuel structure, and management implications. Joint Fire Science Program Proposal 16-1-01-21, USDA Forest Service, Pacific Northwest Research Station, Corvallis, OR.
- Lass, L. and T. Prather. 2007. A scientific evaluation for noxious and invasive weeds of the Highway 95 construction project between the Uniontown Cutoff and Moscow. Vegetation Technical Report, AquilaVision Inc., Missoula, MT.
- Mackey, A. M. 2014. Developing a decision support tool for ventenata (*Ventenata dubia*) integrated pest management in the inland northwest. MS Thesis. University of Idaho, Mosco, ID.
- Magee, T. K., P. L. Ringold, and M. A. Bollman. 2007. Alien species importance in native vegetation along wadeable streams, John Day River basin, Oregon, USA. Plant Ecology 195:287-307.
- Magee, T. K., P. L. Ringold, M. A. Bollman, and T. L. Ernst. 2010. Index of alien impact: a method for evaluating potential ecological impact of alien plant species. Environmental Management 45:759-778.
- McKay, S., L. R. Morris, C. E. Morris, and E. A. Leger. 2017. Examining the potential competitive effects of *Ventenata dubia* on annual and perennial grasses. The Prairie Naturalist 49:19-22.
- Morozumi, C. N. 2015. Vegetation and small mammal response to western juniper (*Juniperus occidenatlis*) control in eastern Oregon. MS Thesis. Oregon State University, Corvallis, OR.
- Noone, M. D., J. S. Kagan, and E. M. Nielsen. 2013. Western juniper (*Juniperus occidentalis*) and invasive annual grass mapping in eastern Oregon. Institute for Natural Resources, Portland State University, Portland, OR.
- Northam, F. E. and R. H. Callihan. 1986. Germination of four annual grass weeds at three temperatures. Proceedings of the Western Society of Weed Science 39:173.
- Northam, F. E. and R. H. Callihan. 1994. New weedy grasses associated with downy brome. Pages 211-212 *in* S. B. Monsen and S. G. Kitchen, editors. Proceedings: Ecology and

Management of Annual Rangelands. Gen. Tech. Rep. INT-313. USDA Forest Service, Intermountain Research Station, Ogden, UT.

- Nyamai, P. A., T. S. Prather, and J. M. Wallace. 2011. Evaluating restoration methods across a range of plant communities dominated by invasive annual grasses to native perennial grasses. Invasive Plant Science and Management 4:306-316.
- Old, R. R. and R. H. Callihan. 1987. Ventenata dubia in the Pacific Northwest. Proceedings of the Western Society of Weed Science 40:130.
- Pack, S. J. 2015. Canyon grasslands of the Hells Canyon National Recreation Area: How have they changed over time and what is their future trajectory? MS Thesis. Oregon State University, Corvallis, OR.
- Pavek, P., J. M. Wallace, and T. Prather. 2011. Ventenata biology and distribution in the Pacific Northwest. Page 107 in B. McCloskey, editor. Proceedings of the Western Society of Weed Science. 64. Western Society of Weed Science, Spokane, WA.
- Pekin, B. K., M. J. Wisdom, C. G. Parks, B. A. Endress, and B. J. Naylor. 2016. Response of native versus exotic plant guilds to cattle and elk herbivory to forested rangeland. Applied Vegetation Science 19:31-39.
- Prather, T. 2014. Developing a decision support tool for ventenata IPM in the Inland Northwest. Final Report SW10-103, Sustainable Agriculture Research & Education Grants and Education to Advance Innovations in Sustainable Agriculture.
- Prather, T. S., A. M. Mackey, and J. M. Wallace. 2017. Managing *Ventenata dubia* in timonthy hay. Proceedings, 2017 Western Alfalfa and Forage Symposium. UC Cooperative Extension, Plant Sciences Department, University of California, Davis, Reno, NV.
- Reynecke, B. K. 2012. Plant community restoration on mima mounds at Turnball National Wildlife Refuge, WA. MS Thesis. Eastern Washington University, Cheney, WA.
- Ridder, L., J. Perren, L. R. Morris, B. A. Endress, R. Taylor, J. Averett, and B. J. Naylor. In review. Historical fire and *Ventenata dubia* in a temperate grassland. Rangeland Ecology & Management.
- Rinella, M. J., S. E. Bellows, and A. D. Roth. 2014. Aminopyralid constrains seed production of the invasive annual grasses medusahead and ventenata. Rangeland Ecology & Management 67:406-411.
- Sbatella, G. and S. Twelker. 2013. Ventenata (*Ventenata dubia*) control in rangelands for central Oregon with fall applications. COARC2013, Oregon State University, Central Oregon Agricultural Research Center, Corvallis, OR.
- Scheinost, P., M. Stannard, and J. W. Prather. 2008. Ventenata. Plant guide. US Department of Agriculture, Natural Resources Conservation Service, Pullman Plant Materials Center, USA.
- Sebastian, D. J., S. J. Nissen, and J. De Souza Rodrigues. 2016. Pre-emergence control of six invasive winter annual grasses with imazapic and indaziflam. Invasive Plant Science and Management 9:308-316.
- Solheim, S. and E. Judziewicz. 1984. Four noteworthy Wisconsin plants [*Apera interrupta*, *Ventenata dubia*, *Juncus stygius*, *Polemonium occidentale*, description]. Phytologia 54:490-492.
- Wallace, J. M., P. L. Pavek, and T. S. Prather. 2015. Ecological characteristics of *Ventenata dubia* in the Intermountain Pacific Northwest. Invasive Plant Science and Management 8:57-71.
- Wallace, J. M. and T. S. Prather. 2016. Herbicide control strategies for *Ventenata dubia* in the Intermountain Pacific Northwest. Invasive Plant Science and Management 9:128-137.
- Wilderman, D. 2003. Effects of wildfire on high-quality shrub-steppe vegetation, Cleveland Natural Area Preserve, south-central Washington State. Washington Department of Natural Resources, Ellensburg, WA.

- Xu, S., J. L. Johnson-Maynard, and T. S. Prather. 2013. Earthworm density and biomass in relation to plant diversity and soil properties in a Palouse prairie remnant. Applied Soil Ecology 72:119-127.
- Youngblood, A., K. L. Metlen, and K. Coe. 2006. Changes in stand structure and composition after restoration treatments in low elevation dry forests of northeastern Oregon. Forest Ecology and Management 234:143-163.