Ventenata Specific References

Last updated: June 3, 2020

If you know of references that specifically reference ventenata (reports, peer-reviewed articles, literature reviews, etc.) please contact Rebecca Lemons (rebecca.lemons@oregonstate.edu)

- Alomran, M., G. Newcombe, and T. Prather, 2019. *Ventenata dubia's* native range and consideration of plant pathogens for biological control. Invasive Plant Science and Management. 12:242-245.
- Anicito, K. R. 2013. A holistic approach to Mima mound prairie restoration. MS Thesis. Eastern Washington University, Cheney, WA.
- Averett, J. P. 2014. Non-native and native plant species distributions and variability along an elevational gradient in the Wallowa Mountains, Oregon. MS Thesis. Oregon State University, Corvallis, OR.
- Averett, J. P., B. McCune, C. G. Parks, B. J. Naylor, T. DelCurto, and R. Mata-Gonzalez. 2016. Non-native plant invasion along elevation and canopy closure gradients in a middle Rocky Mountain ecosystem. PLoS One 11:e0147826. https://doi.org/10.1371/journal.pone.0147826.
- Bansal, S., J. J. James, and R. L. Sheley. 2014. The effects of precipitation and soil type on three invasive annual grasses in the western United States. Journal of Arid Environments 104:38-42.
- Beck, K. G. 2014. New invasive threats and an old foe. Progressive Cattleman September. http://www.progressivecattle.com/topics/range-pasture/6417-newinvasive-threats-andan-old-foe.
- Beckstead, J., S. E. Meyer, K. O. Reinhart, K. M. Bergen, S. R. Holden, and H. F. Boekweg. 2014. Factors affecting host range in a generalist seed pathogen of semi-arid shrublands. Plant Ecology 215:427-440.
- Bernards, S. J. and L. R. Morris. 2017a. Comparisons of canyon grassland vegetation and seed banks along an early successional gradient. Northwest Science 91:27-40.
- Bernards, S. J. and L. R. Morris. 2017b. Influence of topography on long-term successional trajectories in canyon grasslands. Applied Vegetation Science 20:236-246.
- Bryant, J. A. M., B. K. Reynecke, and R. L. Brown. 2013. Geology and topography effects on exotic pl76ant distribution in a semiarid Mima mound prairie in eastern Washington. Northwest Science 87:12-23.
- Cellini, J. B. 2016. The relationship between invasive annual grasses and biological soil crust across Eastern Washington. MS Thesis. Eastern Washington University, Cheney, WA.
- Chambers, K. L. 1985. Pitfalls in identifying Ventenata dubia (Poaceae). Madrono 32:120-121.
- DiTomaso, J. M., et al. 2013. *Ventenata dubia* (Leers) Coss. & Dur.: North African wiregrass. Pages 417-418 *in* Weed control in natural areas in the western United States. University of California, Weed Research and Information Center, Davis, CA.
- Dittel, J. W., D. Sanchez, L. M. Ellsworth, C. N. Morozumi, and R. Mata-Gonzalez. 2018. Vegetation response to juniper reduction and grazing exclusion in sagebrush-steppe habitat in eastern Oregon. Rangeland Ecology & Management 71:213-219.
- Endress, B. A., J. Averett, B. J. Naylor, L. R. Morris, and R. Taylor. In prep. Historical, biotic and environmental factors influence patterns of non-native plant abundance in a temperate grassland. Applied Vegetation Science.
- Fryer, J. L. 2017. *Ventenata dubia*. Fire Effects Information System, [Online]. USDA Forest Service, Rocky Mountain Research Station, Missoula Fire Sciences Laboratory.

- www.fs.fed.us/database/feis/plants/graminoid/vendub/all.html
- Gillespie, L. J., R. J. Soreng, R. D. Bull, S. W. L. Jacobs, and N. F. Refulio-Rodriguez. 2008. Phylogenetic relationships in subtribe Poinae (Poaceae, Poeae) based on nuclear ITS and plastid trnT–trnL–trnF sequences. Botany 86:938-967.
- Griffith, D. L. 2015. Invasive annual grasses at micro- and macro- scales: Endophytes, socialecological systems, and community-based observing networks. PhD Dissertation. University of Idaho, Moscow, ID.
- Ingwell, L. and N. Bosque-Pérez. 2015. The invasive weed *Ventenata dubia* is a host of Barley yellow dwarf virus with implications for an endangered grassland habitat. Weed Research 55:62-70.
- James, J. 2008a. Leaf nitrogen productivity as a mechanism driving the success of invasive annual grasses under low and high nitrogen supply. Journal of Arid Environments 72:1775-1784.
- James, J. J. 2008b. Effect of soil nitrogen stress on the relative growth rate of annual and perennial grasses in the Intermountain West. Plant and Soil 310:201-210.
- Johnson, C. G., Jr. 2007. Rangeland exclosures of northeastern Oregon: Stories they tell (19362004). Gen. Tech. Rep. PNW-GTR-724, USDA Forest Service, Pacific Northwest Research Station, Portland, OR.
- Johnson, C. G., Jr. and D. K. Swanson. 2005. Bunchgrass plant communities of the Blue and Ochoco Mountains: A guide for managers. Gen. Tech. Rep. PNW-GTR-641, USDA Forest Service, Pacific Northwest Research Station, Portland, OR.
- Johnson, C. G., M. Vavra, C. G. Parks, and M. Willis. 2013. Ascertaining elk impacts on plant communities. Rangelands 35:11-15.
- Jones, L. C., N. Norton, and T. S. Prather. 2018. Indicators of ventenata (Ventenata dubia) invasion in sagebrush steppe rangelands. Invasive Plant Science and Management 11:1-9.
- Kerns, B. K., H. S. J. Zald, M. A. Krawchuk, N. M. Vaillant, J. Kim, and B. J. Naylor. 2015. Ecosystem change in the Blue Mountains Ecoregion: Exotic invaders, shifts in fuel structure, and management implications. Joint Fire Science Program Proposal 16-1-0121, USDA Forest Service, Pacific Northwest Research Station, Corvallis, OR.
- Lass, L. and T. Prather. 2007. A scientific evaluation for noxious and invasive weeds of the Highway 95 construction project between the Uniontown Cutoff and Moscow. Vegetation Technical Report, AquilaVision Inc., Missoula, MT.
- Mackey, A. M. 2014. Developing a decision support tool for ventenata (*Ventenata dubia*) integrated pest management in the inland northwest. MS Thesis. University of Idaho, Mosco, ID.
- Magee, T. K., P. L. Ringold, and M. A. Bollman. 2007. Alien species importance in native vegetation along wadeable streams, John Day River basin, Oregon, USA. Plant Ecology 195:287-307.
- Magee, T. K., P. L. Ringold, M. A. Bollman, and T. L. Ernst. 2010. Index of alien impact: a method for evaluating potential ecological impact of alien plant species. Environmental Management 45:759-778.
- McKay, S., L. R. Morris, C. E. Morris, and E. A. Leger. 2017. Examining the potential competitive effects of *Ventenata dubia* on annual and perennial grasses. The Prairie Naturalist 49:19-22.
- Morozumi, C. N. 2015. Vegetation and small mammal response to western juniper (*Juniperus occidenatlis*) control in eastern Oregon. MS Thesis. Oregon State University, Corvallis, OR.

- Nicolli, M., T. J. Rodhouse, D. S. Stucki, and M. Shinderman. 2020. Rapid invasion by the annual grass Ventenata dubia into protected-area, low-elevation sagebrush steppe. Western North American Naturalist.
- Noone, M. D., J. S. Kagan, and E. M. Nielsen. 2013. Western juniper (*Juniperus occidentalis*) and invasive annual grass mapping in eastern Oregon. Institute for Natural Resources, Portland State University, Portland, OR.
- Northam, F. E. and R. H. Callihan. 1986. Germination of four annual grass weeds at three temperatures. Proceedings of the Western Society of Weed Science 39:173.
- Northam, F. E. and R. H. Callihan. 1994. New weedy grasses associated with downy brome. Pages 211-212 *in* S. B. Monsen and S. G. Kitchen, editors. Proceedings: Ecology and Management of Annual Rangelands. Gen. Tech. Rep. INT-313. USDA Forest Service, Intermountain Research Station, Ogden, UT.
- Nyamai, P. A., T. S. Prather, and J. M. Wallace. 2011. Evaluating restoration methods across a range of plant communities dominated by invasive annual grasses to native perennial grasses. Invasive Plant Science and Management 4:306-316.
- Old, R. R. and R. H. Callihan. 1987. *Ventenata dubia* in the Pacific Northwest. Proceedings of the Western Society of Weed Science 40:130.
- Pack, S. J. 2015. Canyon grasslands of the Hells Canyon National Recreation Area: How have they changed over time and what is their future trajectory? MS Thesis. Oregon State University, Corvallis, OR.
- Pavek, P., J. M. Wallace, and T. Prather. 2011. Ventenata biology and distribution in the Pacific Northwest. Page 107 *in* B. McCloskey, editor. Proceedings of the Western Society of Weed Science. 64. Western Society of Weed Science, Spokane, WA.
- Pekin, B. K., M. J. Wisdom, C. G. Parks, B. A. Endress, and B. J. Naylor. 2016. Response of native versus exotic plant guilds to cattle and elk herbivory to forested rangeland. Applied Vegetation Science 19:31-39.
- Pervukhina, I. 2020. Genetic analysis of invasive population of *Ventenata dubia*(Poaceae): An assessment of propagule pressure and pattern of range expansion in the Western United States. Boise State University. Boise, ID
- Prather, T. 2014. Developing a decision support tool for ventenata IPM in the Inland Northwest. Final Report SW10-103, Sustainable Agriculture Research & Education Grants and Education to Advance Innovations in Sustainable Agriculture.
- Prather, T. S., A. M. Mackey, and J. M. Wallace. 2017. Managing *Ventenata dubia* in timonthy hay. Proceedings, 2017 Western Alfalfa and Forage Symposium. UC Cooperative Extension, Plant Sciences Department, University of California, Davis, Reno, NV.
- Reynecke, B. K. 2012. Plant community restoration on mima mounds at Turnball National Wildlife Refuge, WA. MS Thesis. Eastern Washington University, Cheney, WA.
- Ridder, L., J. Perren, L. R. Morris, B. A. Endress, R. Taylor, J. Averett, and B. J. Naylor. In review. Historical fire and *Ventenata dubia* in a temperate grassland. Rangeland Ecology & Management.
- Ridder, L. 2019. The response of *Ventenata dubia* to prescribed fire and ungulate grazing on the pacific Northwest bunchgrass prairie. MS Thesis. Oregon State University, Corvallis, OR.
- Rinella, M. J., S. E. Bellows, and A. D. Roth. 2014. Aminopyralid constrains seed production of the invasive annual grasses medusahead and ventenata. Rangeland Ecology & Management 67:406-411.
- Sbatella, G. and S. Twelker. 2013. Ventenata (*Ventenata dubia*) control in rangelands for central Oregon with fall applications. COARC2013, Oregon State University, Central Oregon Agricultural Research Center, Corvallis, OR.

- Scheinost, P., M. Stannard, and J. W. Prather. 2008. Ventenata. Plant guide. US Department of Agriculture, Natural Resources Conservation Service, Pullman Plant Materials Center, USA.
- Sebastian, D. J., S. J. Nissen, and J. De Souza Rodrigues. 2016. Pre-emergence control of six invasive winter annual grasses with imazapic and indaziflam. Invasive Plant Science and Management 9:308-316.
- Solheim, S. and E. Judziewicz. 1984. Four noteworthy Wisconsin plants [*Apera interrupta*, *Ventenata dubia*, *Juncus stygius*, *Polemonium occidentale*, description]. Phytologia 54:490-492.
- Tortorelli, C., M. Krawchuk, and B. Kerns. 2020. Expanding the invasion footprint: *Ventenata dubia* and relationships to wildfire, environment, and plant communities in the Blue Mountains of the inland Northwest, USA. Applied Vegetation Science. doi:10.1111/avsc.12511
- Wallace, J. M., P. L. Pavek, and T. S. Prather. 2015. Ecological characteristics of *Ventenata dubia* in the Intermountain Pacific Northwest. Invasive Plant Science and Management 8:57-71.
- Wallace, J. M. and T. S. Prather. 2016. Herbicide control strategies for *Ventenata dubia* in the Intermountain Pacific Northwest. Invasive Plant Science and Management 9:128-137.
- Wilderman, D. 2003. Effects of wildfire on high-quality shrub-steppe vegetation, Cleveland Natural Area Preserve, south-central Washington State. Washington Department of Natural Resources, Ellensburg, WA.
- Xu, S., J. L. Johnson-Maynard, and T. S. Prather. 2013. Earthworm density and biomass in relation to plant diversity and soil properties in a Palouse prairie remnant. Applied Soil Ecology 72:119-127.
- Youngblood, A., K. L. Metlen, and K. Coe. 2006. Changes in stand structure and composition after restoration treatments in low elevation dry forests of northeastern Oregon. Forest Ecology and Management 234:143-163.